



TRONIC



Mechanical
limit switch



Two-way
protocol

TRONIC Ø35 mm | TRONIC Ø45 mm | TRONIC Ø59 mm

TRONIC

TRONIC Motors offer an efficient and easy solution for automating blinds, roller blinds and awnings. Their simple design and operation with wired switches/inverters make them an affordable and affordable option. Simplify installation with the power and simplicity of TRONIC Motors.

REFERENCES



TRONIC Ø35mm

6/28	70.035.006B
10/17	70.035.010B



TRONIC Ø45mm

20/15	70.045.020P
20/15 Short	70.045.020SP
30/15	70.045.030P
50/12	70.045.050P



TRONIC Ø59MM

80/15	70.055.080P
100/12	70.055.100P
120/9	70.055.120P

Mechanical limit switch with progressive regulation by rod.

Head with 12mm central hole for mounting on monoblock drawer.


For 50,56,60, 70 and 78mm axle.

Connection to wired switch or push button.

TECHNICAL CHARACTERISTICS

Model	Par-nominal	Speed	Feeding	Nominal power	Amperage	Working time	Max rotations	IP Rating	Length measurement	Max Weight
6/28	6 Nm	28 rpm	230v 50 Hz	121 W	0.53 A	4 min	30	IP44	445 mm	9.5 Kg
10/17	10 Nm	17 rpm	230v 50 Hz	121 W	0.53 A	4 min	30	IP44	445 mm	16 Kg
20/15	20 Nm	15 rpm	230v 50 Hz	145 W	0.64 A	4 min	45	IP44	463 mm	32 Kg
20/15 Short	20 Nm	15 rpm	230v 50 Hz	145 W	0.64 A	4 min	45	IP 44	375 mm	32 Kg
30/15	30 Nm	15 rpm	230v 50 Hz	191 W	0.83 A	4 min	45	IP44	533 mm	50 Kg
50/12	50 Nm	12 rpm	230v 50 Hz	205 W	0.89 A	4 min	45	IP44	533 mm	80 Kg
80/15	80 Nm	15 rpm	230v 50 Hz	330 W	1.43 A	4 min	22	IP44	568 mm	120 Kg
100/12	100 Nm	12 rpm	230v 50 Hz	345 W	1.54 A	4 min	22	IP44	658 mm	150 Kg
120/9	120 Nm	9 rpm	230v 50 Hz	350 W	1.56 A	4 min	22	IP44	658 mm	180 Kg


MOTOR CONNECTORS




ELECTRICAL DIAGRAM

MOTOR EUROTRONIC

AC




ACCESSORIES FOR DIAMETER 35MM:



40 octagonal pulley | 61.005.001




Corona 40 octagonal | 61.005.101




Pulley 43 | 61.005.002



Corona 43 | 61.005.102



Pulley 56 | 61.005.003



Corona 56 | 61.005.103



Pulley 50 round | 61.005.009


Mounting brackets:




**DRAWER SUPPORT FOR 35MM
MOTORS**

60.004.106


ACCESSORIES FOR DIAMETER 45MM:




50 octagonal pulley | 61.005.010




Corona 50 octagonal | 61.005.110




DEPRAT 54 octagonal pulley | 61.005.099




Corona 54 octagonal DEPRAT | 61.005.098




Pulley 56 | 61.005.003




Corona 56 | 61.005.103



reinforced pulley 58 | 61.005.008



Reinforced Crown 58 | 61.005.108




Pulley 60 round | 61.005.012



reinforced octagonal pulley 60 | 40.005.011



Corona 60 octagonal | 61.005.111




Reinforced octagonal crown 60 | 40.005.111




Crown 60 curly | 61.005.104




Crown 60 round | 61.005.112



60 octagonal pulley | 61.005.011



Pulley 60 curled | 61.005.004




Pulley 70 offset warhead | 61.005.005



Crown 70 off-centered ogive | 61.005.105

ACCESSORIES FOR DIAMETER 45MM:




**Pulley 70 BAT
warhead**

61.005.029



**Corona 70 BAT
warhead**

61.005.129




**Pulley 70 centered
warhead**

61.005.014




Crown 70 centered ogive

61.005.114



70 octagonal pulley

61.005.006




Corona 70 octagonal

61.005.106



**Pulley 78
Warhead**

61.005.007




**Crown 78
Warhead**

61.005.107



**Pulley 80 BAT
warhead**


61.005.030



**Corona 80 BAT
warhead**


61.005.130

MOUNTING BRACKETS:




CONSTRUCTION SUPPORT 45MM 2 AG.

60.004.006



45MM STAR CONSTRUCTION SUPPORT

60.004.005



DRAWER SUPPORT FOR 55/59MM

60.004.059



METAL SUPPORT 45 BD + BDP + WI


60.004.109




**SKY BIDI TYPE METAL SHEET DRAWER
SUPPORT**

60.004.110


ACCESSORIES FOR DIAMETER 59MM:



70 Octagonal Pulley | 61.005.016




Corona 70 Octagonal | 61.005.116




Pulley 78 Off-center warhead | 61.005.024



Crown 78 Off-centered ogive | 61.005.124



100 round pulley | 61.005.022




Crown 100 round | 61.005.122

MOUNTING BRACKETS FOR 59MM:



SQUARE DRAWER SUPPORT D.55/59
60.004.066



CONSTRUCTION SUPPORT 55 / 59 MM
60.004.007



CONSTRUCTION SUPPORT 55/59 MM STAR
60.004.008

COMPATIBLE CON:



DOUBLE PUSH BUTTON
60.003.022



DOUBLE INVERTER
60.003.020



MAIKI BIDI
90.002.100



www.eurotronic-europe.com

C/Pica d'Estats, 108-118 Poligono Industrial Sant Isidre
08272 Sant Fruitós de Bages (Barcelona) SPAIN

pedidos@eurotronic-europe.com Tel: +34 932 420 108